

Glascow Coma Scale

ADULT

<u>Eye Opening</u>	<u>Verbal Response</u>	<u>Motor Response</u>
4-Spontaneous	5-Oriented & converses	6-Obeys verbal commands
3-To verbal Commands	4-Disoriented & converses	5-Localizes pain
2-To pain	3-Inappropriate words	4-Withdraws from pain
1-No response	2-Inconprehensible sounds	3-Decorticate to pain
	1-No response	2-Decerebrate to pain
		1-No response

INFANT

<u>Eye Opening</u>	<u>Verbal Response</u>	<u>Motor Response</u>
4-Spontaneous	5-Coos, babbles	6-Spontaneous
3-To speech	4-Irritable cries	5-Localizes pain
2-To pain	3-Cries to pain	4-Withdraws from pain
1-No Response	2-Moans, grunts	3-Flexion
	1-No response	2-Extension
		1-No response

- ∅ A Score between 13 and 15 may indicate a mild head injury
- ∅ A score between 9 and 12 may indicate a moderate head injury
- ∅ A score of 8 or less indicate a severe head injury (Intubation is usually required)

Revised Trauma Score

<u>Glasgow Coma Score (GCS)</u>	<u>Systolic Blood Pressure</u>	<u>Respiratory Rate</u>
4=(13-15)	4=(>89)	4=(10-29)
3=(9-12)	3=(76-89)	3=(>29)
2=(6-8)	2=(50-75)	2=(6-9)
1=(4-5)	1=(1-49)	1=(1-5)
0=(3)	0=(0)	0=(0)